

## Faecal Immunochemical Test (FIT): safety netting guidance

It is recommended that each practice, assuming there is no system already in place, should keep a patient tracking system if the GP has requested a FIT test, to ensure tests are completed, returned and acted on.

Safety netting low-risk suspected colorectal cancer patients will support the CCG and Trust with evaluation of the roll out of FIT and provide valuable insight to further support primary care.

## Steps should include:

- Informing the patient reason for the test.
- Checking that the patient's contact details are up to date.
- Printing the request form and inserting it into the test pack before handing it over to the patient.
- Nominating a staff member to keep the safety netting spreadsheet or relevant system up to date.
- Unless GP practice has their own system already, it is recommended that a practice has a system in place eg a spreadsheet that logs the date the test is given to patient, the GP requester, patient NHS number and when to expect results.
- This spreadsheet should be shared in a shared drive (unless GP practice has their own system already).
- A patient should return their kit to the practice within three working days and it should be sent to SWLP using the usual transport links for testing.
- If a kit is not returned, the GP practice should, if deemed appropriate, follow up the patient.
- Checking that results are received within 48 hours, acted on and shared with the patient.
- Updating the spreadsheet with results and further outcomes.

Please note: the FIT threshold used in screening (120ug/g) is different to FIT thresholds in symptomatic patients (10ug/g). This means that patients who have a negative screening result may still have bowel cancer and should be offered a symptomatic FIT test if appropriate.

Cancer Research UK, endorsed by RCGP, have created a downloadable summary in table or flowchart format to further support practices.

View the downloadable summary